

CHENGTONG FLUID

诚通流体

不锈钢管件广泛用于食品、饮料、啤酒、乳制器和其它食品工业，以及制药和化学工业领域。



Sanitary Fittings / Joints

卫生级管件/接头



卫生级管件 Sanitary Grade Pipe Fittings




180度弯头



45度弯头



焊接弯头




卫生级焊接短弯头90°

规格	英寸	A	D	壁厚	重量KG	参考价
Φ19		28.5	19.1	1.5	0.03	
Φ25	1"	33.5	25.4	1.5	0.05	
Φ32		38	31.75	1.5	0.07	
Φ38		48.5	38.1	1.5	0.1	
Φ45		53.5	45	1.5	0.14	
Φ51		60.5	50.8	1.5	0.17	
Φ57		67.5	57.15	2	0.29	
Φ63		83.5	63.5	2	0.35	
Φ76		88.5	76.2	2	0.5	
Φ89		103.5	89	2	0.65	
Φ102		127	102	2	0.88	
Φ108			108	2	1	
Φ114		152.4	114	2		
Φ133		175	133	2	1.65	
Φ159		214	159	2		



加长弯头




焊接长弯头90°

规格	L	D	R	参考价
10	26	12	26	
15	35	18	35	
20	40	22	40	
25	50	28	50	
32	55	34	55	
40	60	40	60	
50	70	52	70	
65	80	70	80	
80	90	85	90	
100	100	104	100	
125	187	129	187	
150	225	154	225	



快装弯头



卫生级快装弯头

规格	A	B	C	D	重量KG	参考价
Φ19	50.5	19	50	1.5	0.19	
Φ25	50.5	25	55	1.5	0.18	
Φ32	50.5	32	60	1.5	0.19	
Φ38	50.5	38	70	1.5	0.2	
Φ45	64	45	75	1.5	0.3	
Φ51	64	51	82	1.5	0.25	
Φ57	77	57	90	2	0.45	
Φ63	77	63	105	2	0.56	
Φ76	91	76	110	2	0.77	
Φ89	106	89	125	2	1	
Φ102	119	102	150	2	1.3	

CHENG TONG FLUID

卫生级管件
Sanitary Grade Pipe Fittings




Y型三通



R型三通



R型三通




卫生级焊接三通

规格	A	B	D	重量KG	参考价
Φ19	29	1.5	19	0.05	
Φ25	33.5	1.5	25	0.07	
Φ32	38	1.5	32	0.1	
Φ38	48.5	1.5	38	0.16	
Φ45	53.5	1.5	45	0.19	
Φ51	60.5	1.5	51	0.25	
Φ57	75	2	57	0.38	
Φ63	70	2	63	0.45	
Φ76	75	2	76	0.64	
Φ89	82.5	2	89	0.78	
Φ102	92.5	2	102	1.03	
Φ108	95	2	108	1.12	
Φ114	105	2	114	1.4	
Φ133	125	2	133	1.75	
Φ159	135	2	159	2.1	
Φ219	178	3	219	3.7	



快装三通



卫生级快装三通


规格	A卡盘	B内径	C	重量KG	参考价
Φ19	50.5	16	50	0.3	
Φ25	50.5	22	55	0.3	
Φ32	50.5	29	60	0.3	
Φ38	50.5	35	70	0.35	
Φ45	64	42	75	0.45	
Φ51	64	48	82	0.5	
Φ57	77	53	86	0.75	
Φ63	77	59	90	0.75	
Φ76	91	72	96	1.1	
Φ89	106	85	104	1.35	
Φ102	119	98	110	1.6	



快装U型三通



焊接式



卫生级快装U型三通

规格	英寸	D1	D2	A	B	C	重量KG	参考价
Φ19	3/4"	19	16	140	109	50.5	0.38	
Φ25	1"	25	22	143	120	50.5	0.4	
Φ32	1 1/4"	32	29	172	155	50.5	0.5	
Φ38	1 1/2"	38	35	173	156	50.5	0.53	
Φ45	1 3/4"	45	42	192	168	64	0.78	
Φ51	2"	51	48	205	176	64	0.8	

卫生级管件 Sanitary Grade Pipe Fittings




快装直通管

快装直通管

设备装配中，当管路短缺一段，或因检修需要在管路中需设置一小段可拆的短管时，经常采用短接管，它是一段直管，尺寸按需要定制。



快装四通




卫生级快装四通

规格	A卡盘	B内径	C	重量KG	参考价
Φ19	50.5	16	50	0.372	
Φ25	50.5	22	55	0.38	
Φ32	50.5	29	60	0.375	
Φ38	50.5	35	70	0.394	
Φ45	64	42	75	0.59	
Φ51	64	48	82	0.573	
Φ57	77	53	86	1.008	
Φ63	77	59	90	0.97	
Φ76	91	72	96	1.374	
Φ89	106	85	104	1.63	
Φ102	119	98	110	2.1	



焊接U型三通



焊接四通


规格	A	D	重量KG	参考价
Φ19	29	19.1	0.06	
Φ25	33.5	25.4	0.09	
Φ32	38	31.7	0.13	
Φ38	48.5	38.1	0.2	
Φ45	53.5	44.5	0.24	
Φ51	60.5	50.8	0.3	
Φ57	62.5	57	0.45	
Φ63	65	63.5	0.55	
Φ76	72.5	76	0.8	
Φ89	82.5	89	1	
Φ102	92.5	102	1.3	

CHENG TONG FLUID


卫生级管件
Sanitary Grade Pipe Fittings

焊接大小头

若需要将两个管径不相等的管子连接起来时，所用的管件称为异径管，俗称大小头，它有同心和偏心之分。



规格Φ	L	D	H	重量KG	参考价
25x19	25x1.5	19	33	0.03	
32x19	32x1.5	19	36	0.03	
32x25	32x1.5	25	40	0.04	
38x25	38x1.5	25	45	0.05	
38x32	38x1.5	32	45	0.06	
45x32	45x1.5	32	48	0.06	
51x32	51x1.5	32	55	0.08	
51x38	51x1.5	38	53	0.08	
57x32	57x2	32	56	0.1	
63x38	63x2	38	60	0.15	
63x51	63x2	51	60	0.15	
76x38	76x2	38	73	0.22	
89x51	89x2	51	80	0.3	
102x76	102x2	76	85	0.35	




规格	D1*厚度	D2	L	重量KG	参考价
25x19	25x1.5	19	40	0.03	
32x19	32x1.5	19	40	0.04	
32x25	32x1.5	25	40	0.04	
38x25	38x1.5	25	45	0.06	
38x32	38x1.5	32	45	0.06	
45x32	45x1.5	32	50	0.09	
51x32	51x1.5	32	55	0.1	
51x38	51x1.5	38	55	0.1	
57x38	57x2	38	60	0.15	
63x38	63x2	38	75	0.2	
76x51	76x2	51	80	0.28	
89x51	89x2	51	85	0.35	
108x51	108x2	51	90	0.45	




规格	D1	D2	D3	D4	L	重量KG	参考价
25x19	25	19	50.5	50.5	73	0.2	
32x19	32	19	50.5	50.5	76	0.2	
32x25	32	25	50.5	50.5	80	0.2	
38x25	38	25	50.5	50.5	85	0.2	
38x32	38	32	50.5	50.5	85	0.2	
45x32	45	32	64	50.5	88	0.2	
51x32	51	32	64	50.5	95	0.2	
51x38	51	38	64	50.5	95	0.2	
57x32	57	32	77	50.5	95	0.3	
63x38	63	38	77	50.5	100	0.3	
63x51	63	51	77	64	100	0.3	
76x38	76	38	91	50.5	113	0.4	
89x51	89	51	106	64	120	0.5	
102x51	102	51	119	64	125	0.6	

卫生级管件 Sanitary Grade Pipe Fittings



卫生级快装接头

规格	D1	D	t	H	重量KG	参考价
Φ19	50.5	19.1	1.5	21	0.08	
Φ25	50.5	25.4	1.5	21	0.73	
Φ32	50.5	31.75	1.5	21	0.061	
Φ38	50.5	38.1	1.5	21	0.048	
Φ45	64	45	1.5	21	0.086	
Φ51	64	50.8	1.5	21	0.071	
Φ57	77	57.15	2	21	0.129	
Φ63	77	63.5	2	21	0.103	
Φ76	91	76.2	2	21	0.136	
Φ89	106	89	2	21	0.170	
Φ102	119	102	2	21	0.214	
Φ108	119	108	2	21	0.160	
Φ114	130	114	2	21	0.203	
Φ133	145	133	2	21	0.208	
Φ159	183	159	2	21	0.510	
Φ203	217	203	3	21	0.528	
Φ219	240	219	3	21	0.606	



卫生级硅胶(四氟)快装垫

规格	A	B	C	参考价
Φ19	5	50.5	16	
Φ25	5	50.5	22	
Φ32	5	50.5	29	
Φ38	5	50.5	35	
Φ45	5	64	42	
Φ51	5	64	48	
Φ57	5	77.5	53	
Φ63	5	77.5	59	
Φ76	5	91	72	
Φ89	5	106	85	
Φ102	5	119	98	
Φ114	5	130	110	
Φ133	5	145	128	



快装堵头(盲板)

规格	A	B	重量KG	参考价
Φ19	50.5	5	0.04	
Φ25	50.5	5	0.04	
Φ32	50.5	5	0.04	
Φ38	50.5	5	0.04	
Φ45	64	5	0.105	
Φ51	64	5	0.105	
Φ57	77.5	5	0.16	
Φ63	77.5	5	0.16	
Φ76	91	5	0.241	
Φ89	106	5	0.28	
Φ102	119	5	0.409	
Φ108	119	5	0.409	
Φ114	130	5.5	0.481	
Φ133	145	5.5	0.624	
Φ159	183	5.5	0.978	


CHENG TONG FLUID

卫生级管件
Sanitary Grade Pipe Fittings




卫生级重型卡箍(13MHH)

Size	B	参考价
1/2"	28.0	
3/4"	28.0	
1"	53.9	
1 1/2"	53.9	
2"	67.4	
2 1/2"	80.9	
3"	94.4	
4"	122.4	
6"	170.4	
8"	221.2	
10"	270.2	



卫生级卡箍

规格	B3	重量KG	参考价
卡25	25	0.117	
卡34	34	0.137	
Φ38	50.5	0.175	
Φ51	64	0.203	
Φ63	77.5	0.268	
Φ76	91	0.327	
Φ89	106	0.4	
Φ102	119	0.4	
Φ114	130	0.45	
Φ133	145	0.544	
Φ159	183	0.724	
Φ204	217	1.1	
Φ219	240	1.2	
Φ254	268	2.3	



卫生级三节卡箍

Size	A	B	重量KG	参考价
1 1/2"	54	80		
2.0"	67.5	94		
2 1/2"	80.9	109		
3.0"	84.4	126		
4.0"	122.4	154		

卫生级管件 Sanitary Grade Pipe Fittings




带盘支架




卫生级快装皮管接头弯头

规格	英寸	A	B	C	D	重量KG	参考价
Φ19	3/4	50	65	50.5	19	0.125	
Φ25	1	55	70	50.5	25	0.144	
Φ32	1 1/4	60	75	50.5	32	0.175	
Φ38	1 1/2	70	85	50.5	38	0.190	
Φ45	1 3/4	75	90	64	45	0.261	
Φ51	2	82	100	64	51	0.324	
Φ57	2 1/4	90	110	77	57	0.55	
Φ63	2 1/2	105	125	77	63	0.65	
Φ76	3	110	135	91	76	0.85	
Φ89	3 1/2	125	150	106	89	1.1	
Φ102	4	150	180	119	102	1.4	



卫生级快装皮管接头

规格	英寸	D	A	E	C	重量KG	参考价
Φ19	3/4	19	50.5	55	15	0.09	
Φ25	1	25	50.5	60	20	0.12	
Φ32	1 1/4	32	50.5	65	27	0.13	
Φ38	1 1/2	38	50.5	68	32	0.15	
Φ45	1 3/4	45	64	75	39	0.22	
Φ51	2	51	64	80	45	0.3	
Φ57	2 1/4	57	77	80	51	0.35	
Φ63	2 1/2	63	77	80	57	0.36	
Φ76	3	76	91	85	70	0.45	
Φ89	3 1/2	89	106	95	83	0.7	
Φ102	4	102	119	105	96	0.8	



卫生级管子夹(管支架)


规格	D	H	重量KG	参考价
Φ19	19	55	0.08	
Φ25	25	58	0.09	
Φ32	32	61	0.09	
Φ38	38	65	0.1	
Φ45	45	68	0.11	
Φ51	51	71	0.11	
Φ57	57	74	0.12	
Φ63	63	77	0.14	
Φ76	76	83	0.15	
Φ89	89	90	0.16	
Φ102	102	96	0.2	
Φ133	133	112	0.27	
Φ159	159	125	0.29	
Φ219	219	155	0.7	

卫生级卡箍
Health Class Card Hoop



卫生级快装丝扣接头

规格	英寸	B	G	A	A1	重量KG	参考价
DN15	G1/2	50.5	20	40	15	0.11	
DN20	G3/4	50.5	26	40	20	0.12	
DN25	G1	50.5	32	40	25	0.13	
DN32	G1 1/4	50.5	40	43	32	0.15	
DN40	G1 1/2	64	47	45	40	0.21	
DN50	G2	77	59	45	50	0.27	
DN65	G2 1/2	91	75	45	65	0.44	
DN80	G3	106	88	50	80	0.6	




卫生级快装内丝接头

规格	Rc	B	D	D1	L	重量KG	参考价
DN15	1/2"	25	50.5	19	40	0.11	
DN20	3/4"	30	50.5	25	42	0.11	
DN25	1"	37	50.5	30	40	0.1	
DN32	1 1/4"	50	50.5	35	45	0.22	
DN40	1 1/2"	51	64	45	40	0.16	
DN50	2"	63	77	57	43	0.22	

卫生级穿墙套管




卫生级接头 Sanitary Joint




螺纹接头(DIN)

规格	OD/IDxt	B	C	参考价
10	13/10x1.5	17	28X1/8	
15	18/15x1.5	17	34X1/8	
20	22/19x1.5	19	44X1/6	
25	28/25x1.5	20	52X1/6	
32	34/31x1.5	20	58X1/6	
40	40/37x1.5	20	65X1/6	
50	52/49x1.5	21	78X1/6	
65	70/6x2	23	95X1/6	
80	85/81x2	25	110x1/4	
100	104/100x2	28	130x1/4	



卫生级SMS圆螺母


规格	A	B	C	D	重量KG	参考价
Φ19	26	43	31.5	18	0.086	
Φ25	30	48	37	20	0.11	
Φ32	40	58	44.5	19	0.132	
Φ38	48	72	56	21	0.223	
Φ45	48	72	56	21	0.223	
Φ51	61	82	66	22	0.268	
Φ57	61	82	66	22	0.268	
Φ63	74	97	81.5	25	0.353	
Φ76	87	111	94.5	24	0.436	
Φ89	100	125	106.5	26	0.62	
Φ102	112	140	121.5	28	0.753	



SMS空螺母


Size	A	B	C	D	重量KG	参考价
25	RD40x1/6	51	19	4	0.18	
32	RD48x1/6	60	22	4	0.233	
38	RD60x1/6	74	23	4	0.34	
51	RD70x1/6	84	24	5	0.46	
63.5	RD85x1/6	100	28	5	0.61	
76	RD98x1/6	114	30	6	0.9	
104	RD125x1/4	138	31	5	1.37	

卫生级接头
Sanitary Joint




卫生级SMS活接头

规格	A*厚度	螺纹尺寸B	C	重量KG	参考价
Φ19	Φ19*1.5	34*1/8	18	0.054	
Φ25	Φ25*1.5	40*1/6	20	0.075	
Φ32	Φ32*1.5	48*1/6	20	0.09	
Φ38	Φ38*1.5	60*1/6	20	0.17	
Φ45	Φ45*1.5	60*1/6	20	0.13	
Φ51	Φ51*1.5	70*1/6	21	0.174	
Φ57	Φ57*1.5	70*1/6	21	0.25	
Φ63	Φ63*2	85*1/6	25	0.36	
Φ76	Φ76*2	98*1/6	25	0.384	
Φ89	Φ89*2	110	26	0.46	
Φ102	Φ102*2	125*1/4	28	0.587	



卫生级SMS活接头

规格	D	H	D1	重量KG	参考价
Φ19	Φ19*1.5	12	29	0.023	
Φ25	Φ25*1.5	12	34	0.026	
Φ32	Φ32*1.5	11	43	0.032	
Φ38	Φ38*1.5	12	55	0.061	
Φ45	Φ45*1.5	13	55	0.065	
Φ51	Φ51*1.5	14	65	0.065	
Φ57	Φ57*1.5	12	65	0.07	
Φ63	Φ63*2	12	80	0.101	
Φ76	Φ76*2	16	93	1.183	
Φ89	Φ89*2	19	105	0.219	
Φ102	Φ102*2	17	119	0.239	



SMS活接头密封圈

规格	A	B	C	D	参考价
Φ19	26.5	4.5	16	19	
Φ25	32	5.5	22	25	
Φ32	40	5.5	29	32	
Φ38	48	5.5	35	38	
Φ45	48	5.5	42	38	
Φ51	62	5.5	48	52	
Φ57	62	5.5	52	52	
Φ63	73	5.5	59	64	
Φ76	85	5.5	72	75	
Φ89	98	5.5	85	88	
Φ102	112	5.5	98	102	